


针筒总计数 (针数表)
Total number of needles in the cylinder(needle chart)

(N.P.) Gauge Dia Of Cylinder	16G	17G	18G	19G	20G	21G	22G	23G	24G	26G	28G	30G	32G
13"	648	696	732	768	816	840	888	936	984	1056	1128	1224	1296
14"	708	744	792	840	876	924	984	1008	1044	1140	1224	1320	1404
15"	756	804	852	900	948	984	1032	1080	1128	1224	1320	1416	1500
16"	816	852	900	960	1008	1080	1104	1152	1200	1308	1392	1500	1620
17"	864	912	960	1020	1080	1140	1188	1236	1284	1380	1476	1620	1704
18"	912	960	1020	1080	1140	1200	1260	1308	1356	1464	1584	1680	1800
19"	960	1020	1080	1140	1200	1260	1320	1380	1440	1560	1656	1800	1920
20"	1008	1080	1140	1200	1260	1320	1380	1440	1500	1632	1752	1896	2016
21"	1056	1128	1200	1260	1320	1380	1440	1512	1620	1716	1836	1980	2112
22"	1104	1188	1260	1320	1380	1440	1512	1572	1680	1800	1920	2052	2220
23"	1152	1236	1308	1380	1440	1500	1584	1656	1740	1872	2016	2172	2316
24"	1200	1284	1356	1440	1500	1620	1680	1740	1800	1956	2100	2256	2412
25"	1260	1332	1404	1500	1572	1680	1740	1800	1884	2040	2196	2350	2520
26"	1320	1380	1440	1560	1632	1716	1800	1872	1956	2124	2280	2448	2616
28"	1404	1500	1584	1680	1752	1860	1920	2016	2112	2280	2460	2640	2808
30"	1500	1620	1680	1800	1896	1980	2052	2172	2256	2448	2640	2820	3012
32"	1620	1704	1800	1920	2052	2112	2220	2316	2412	2628	2808	3012	3216
34"	1704	1812	1920	2040	2136	2232	2352	2460	2544	2784	2976	3204	3408
36"	1800	1920	2040	2160	2256	2352	2472	2592	2712	2940	3168	3384	3612
38"	1896	2028	2160	2280	2376	2472	2616	2712	2844	3096	3336	3564	3816
40"	1992	2148	2280	2400	2496	2640	2712	2832	2988	3264	3516	3744	4020

机器外观尺寸
External dimension of machine



石狮市鑫隆针织机械有限公司
SHISHI XINLONG MACHINERY CO.,LTD.

地址: 福建省泉州市石狮市鸿山镇高新五金机械园区鑫强路13号
ADD: No.13, Xinqiang Road, High-tech Zone, Hongshan town,
Shishi city, Quanzhou City, Fujian Province, China
电话/TEL: 0595-88915999
传真/FAX: 0595-88913799
网址/Http: www.xinlongknitting.com



XINLONG
CIRCULAR KNITTING MACHINE

专业 · 高效 · 卓越
Professional ▪ efficient ▪ excellence

公司简介

Company introduction

石狮鑫隆机械有限公司是一家以研发、设计为核心的技术型发展企业，集生产、销售、服务为一体的专业化针织大圆机制造企业。

公司位于在石狮市祥芝的高科技工业园区，自有园林式景观的现代化标准厂房车间，高效严谨的管理团队，积极创新的技术研发队伍积攒多年的针织编织经验，ISO9001质量管理体系的执行标准，拥有一批高精成套加工设备。公司产品所选材质均精挑细选，机架的高硬度精铁铸造，整体结构稳定耐用不变形；编织系统的独特原理设计更是无与伦比，织物的条理与纹路更清晰；人性化设计的触控面板，智能化生产，操作简捷，效益大大提高，客户的利润空间得到提升。

公司秉承“诚信、专业、创新”经营理念，视质量为生命，以客户的满意度为标尺，追求完美的服务宗旨，骄傲的鑫隆人正是这种严谨的态度打造出品质卓越、外型美观、耐用、高速高效的产品，赢得众多商家的青睐！

SHISHI XINLONG MACHINERY CO.,LTD. is a technology enterprise, which mainly focus on R&D, design. This company specializes circular knitting machine manufacturing enterprises including production, sales, service.

Located in Shishi Xiangzhi High-tech Industrial Park, our enterprise contains modern standard workshop with garden landscape, rigorous and efficient management team. And the team has accumulated knitting experience with a positive innovation attitude in R & D over the years. Our products comply with ISO9001,meanwhile, we own a series of high precision complete sets of processing equipments.All the materials of our products are carefully selected, the frame is made of high hardness and fine iron cast, the overall structure can maintain stability and durability without deformation;Because of the unparalleled and unique design principle of weaving system, fabrics are become more clearly and possess organized texture. The machine has ergonomic touching panel, intelligent production system, simple operation. Therefore, the benefit is greatly improved. As a result, the customer's profit will be largely boosted.

We are adhering to the "integrity, professional, innovation" as business philosophy, and we treat the quality as life, customer satisfaction as the yardstick,and we pursue the perfect service as major tenet. Our products, containing beautiful appearance as well as durability and high performance, have won the favor of numerous merchants!

单面针织机


SINGLE JERSEY CIRCULAR KNITTING MACHINE

本机采用4跑道设计,机器运转高速稳定,高精度,高产量.

中央升降设计,调整克重方便准确.使操作更加便利;

三机一体设计,只需更换极少零件,即可自由转换三线卫衣机或毛巾机;

Adopt four track cams,high speed performance with stable,high precise,high production;
With central adjustment device to make the weight adjustment easier and more accurate;
Multifunctional machine,single machine could convert to 3 thread fleece machine or terry machine by changing parts.




型号MODEL	筒径DIA	针距GAUGE	进纱口数FEEDERS
XLK	14"42"	7-44 G	3-6F/inch



单面剖开针织机

SINGLE JERSEY OPEN-WIDTH CIRCULAR KNITTING MACHINE

本机采用4跑道设计,机器运转高速稳定,高精度,高产量.
中央升降设计,调整克重方便准确.使操作更加便利;
本机装有特殊剖开装置,使布面无折痕.
Adopt four track cams,high speed performance with stable,high precise,high production;
With central adjustment device to make the weight adjustment easier and more accurate;



型号MODEL	筒径DIA	针距GAUGE	进纱口数FEEDERS
XLF	28"-42"	7-44G	3-6F/inch

双面针织机

DOUBLE JERSEY RIB/INTERLOCK CIRCULAR KNITTING MACHINE

本机采用上二下四跑道设计,每段山角可自由调整;
大鼎大盘浸油式设计,提高机器寿命;
机器运转高速稳定,高精度,高产量.
With 2 track dial and 4 track cylinder cams.cams can be adjusted independently;
Top and bottom gears adopt oil-soaking design which prolong machine long life;
High speed performance with stable,high precise ,high production.




型号MODEL	筒径DIA	针距GAUGE	进纱口数FEEDERS
XLC	14"-44"	7-44G	1.8-3.2F/inch

双面剖开针织机

DOUBLE JERSEY OPEN-WIDTH CIRCULAR KNITTING MACHINE

本机采用上二下四跑道设计,每段山角可自由调整;
大鼎大盘浸油式设计,提高机器寿命;
机器运转高速稳定,高精度,高产量.
With 2 track dial and 4 track cylinder cams.cams can be adjusted independently;
Top and bottom gears adopt oil-soaking design which prolong machine long life;
High speed performance with stable,high precise ,high production.




型号MODEL	筒径DIA	针距GAUGE	进纱口数FEEDERS
XLH	28"42"	7-44G	1.8-3.2F/inch

双面电脑提花机

DOUBLE COMPUTERIZED JACQUARD KNITTING MACHINE

三工位设计,实现成圈集圈浮线快速转换,编织型不受限制;
机器运转高速稳定.高精度,高产量.
The design of three technical ways makes a quick switch among knit,tuck and miss,the pattern can be knitted without any restriction;
high speed performance with stable,high precise,high production;




型号MODEL	筒径DIA	针距GAUGE	进纱口数FEEDERS
XLA-E	28"38"	7-36G	54-96F

单面电脑提花机

SINGLE COMPUTERIZED JACQUARD KNITTING MACHINE

三工位设计,实现成圈集圈浮线快速转换,编织型不受限制;
机器运转高速稳定.高精度,高产量.

The design of three technical ways makes a quick switch among knit,tuck and miss,the pattern can be knitted without any restriction;
high speed performance with stable,high precise,high production;




型号MODEL	筒径DIA	针距GAUGE	进纱口数FEEDERS
XLF-E	28"38"	7-36G	54-84F

单面电脑提花调线机

SINGLE JERSEY COMPUTERIZED JACQUARD WITH AUTO STRIPPER(4/6 COLORS)

立式调线头设计，可自由变色，切割自如，夹线牢固，无故障；
单面电脑提花及自动变色功能融合一体，又可独立操作，满足不同的需求。

This machine adopts the vertical striper which can change colors freely,and easy cutting,easy cleanling,clamp yarn firmly;
This machine combine Single computerized jacquard and auto striper,also could be operated independently to reach different requirement.




型号MODEL	筒径DIA	针距GAUGE	进纱口数FEEDERS
XLA-F	28"38"	18-32G	54-76F

双面移圈提花机

DOUBLE JERSEY COMPUTERIZED TRANSFER JACQUARD KNITTING MACHINE

三工位设计,实现成圈集圈浮线快速转换,编织型不受限制;
机器运转高速稳定.高精度,高产量.

The design of three technical ways makes a quick switch among knit,tuck and miss,the pattern can be knitted without any restriction;
high speed performance with stable,high precise,high production;




型号MODEL	筒径DIA	针距GAUGE	进纱口数FEEDERS
XLT	28"38"	7-28G	54-84F

双面剖开提花机

DOUBLE JERSEY OPEN WIDTH COMPUTERIZED JACQUARD KNITTING MACHINE

三工位设计,实现成圈集圈浮线快速转换,编织型不受限制;
机器运转高速稳定.高精度,高产量.

The design of three technical ways makes a quick switch among knit,tuck and miss,the pattern can be knitted without any restriction;
high speed performance with stable,high precise,high production;



型号MODEL	筒径DIA	针距GAUGE	进纱口数FEEDERS
XL-P	28"38"	18-36G	54-96F